

Instructions for activating and deactivating programs with activation keys

Release 3
25.01.2025

This Instruction describes the process of activating programs.

When copying or using materials from this Instruction in any form, in whole or in part, a link to the original source is required with the following mention:

Kirillov Dmitrii Maratovich – developer

Official website www.kdmsoft.ru, www.kdmsoft.net

© Kirillov Dmitrii Maratovich, All rights reserved.

Content :

1.	Activation of the program	3
1.1.	Activation with Internet access on your computer.....	4
1.2.	Activation with Internet access on another computer	5
1.3.	Reactivation - extension	9
1.4.	Question - Answer	10
2.	Deactivating the program	11
2.1.	Automatic deactivation.....	11
2.2.	Manual deactivation	14
3.	If you forgot to deactivate activation key or your computer is broken	16
4.	Activation key parameters	17
5.	Validity period of the activation key	18
6.	Checking the activation key parameters	18
7.	Checking validity period of activation key	20
8.	Technical support	21
9.	Developer contacts	21

1. Activation of the program

The license is activated using an electronic activation key, which is purchased by the user independently on the developer's website. The activation key is sent to the user to the email address specified during purchase. The user independently activates the license. The license and activation key have a protection system linked to both the operating system and the physical elements of the computer, as well as other protection methods.

Activation of the key must be carried out only under the account of the user who will work with the program.

One activation key is only for one computer !!!

Several computers require several different activation keys !!!

Before any change to the computer configuration or operating system, after activating the program, the user independently performs the necessary actions to save and/or transfer the license by deactivating the key on the original computer and activating it on the new one.

Attention!!!

Before replacing the operating system (Windows), it is necessary to deactivate the key !!!

There are several ways to activate the program.

1.1. Activation with Internet access on your computer

The key activation must be performed only under the account of the user who will work with the program.


The key can be activated and operated only on one user account. To use the program under another account, you must either purchase an additional key or deactivate it from the previous account.

When you launch a non-activated program, an activation window appears.

To activate the application, you must enter (copy-paste) the activation key (also known as the serial number) in the serial number entry field of the activation window, and then click the "Next" button.

The application is activated automatically, the activation process is displayed to the user.

The program requires activation once. The activation window will not be displayed when the program is launched again after activation.




1.2. Activation with Internet access on another computer

Activation from "another" computer.

This method is convenient for those who cannot start the program activation process on their computer because there is no way to connect to the Internet, but can do it from another computer that has an Internet connection (for example, at work or in an Internet cafe).


Enter your activation key (aka serial number) in the activation window and click on the text "other" (blue color).



Write down the activation website address

<https://proactive.star-force.com/2.0/activate.php>

Write down the Hardware Code



Then find a computer with an Internet connection.

On a computer with Internet access, open a browser and open the previously written down website address for activation.

<https://proactive.star-force.com/2.0/activate.php>

On the activation site, on the left side, select your preferred language and click on the inscription "Product activation".

On the right side of the window, enter your activation key in the "Serial number" field.

Enter the code you wrote down earlier in the "Hardware code" field.

Then click the "Get activation key" button

STAR FORCE[®] ProActive

Choose language: ▾ Go

Product activation

Obtain an Activation Key to run and use the product on your computer. To obtain the key, you will need a Serial Number for the product and a Hardware Code generated automatically by the application at startup. To restore the deactivated product license, specify additionally a Deactivation Code obtained during deactivation of the product. If you have any questions, please contact the product technical support.

Serial Number:
Enter your Serial Number for the product. [Serial Number parameters](#)

Hardware Code:
Enter a Hardware Code.

Deactivation Code:
To reactivate the product on your computer, enable this field and enter a Deactivation Code obtained during deactivation of the product.

After that you will receive the Activation Key and write it down.

STAR FORCE[®] ProActive

Choose language: ▾ Go

Активация продукта

Активационный ключ был успешно получен. Запишите его или сохраните в файле для последующего ввода при запуске приложения. Активационный ключ:


YUPUA-HXUQH7-JUCLA2-YVQXTE-GZBAYW-9LPD72-2J8A8J-HWCDSY

Параметры лицензии:
Ключ действителен с 24.01.2025 23:21:36 (GMT+03:00) по 21.09.2025 15:56:56 (GMT+03:00)
Осталось активаций: 4


Если у вас есть вопросы по активации/деактивации продукта, перейдите в раздел "Информация" или обращайтесь в службу поддержки продукта.

Return to the computer on which activation is required.

Restart the application, enter the activation key (serial number) in the activation window and click on the blue text “I already have an activation key”




Enter the Activation Key (obtained from the activation website) in the appropriate field and click the "Next" button.



1.3. Reactivation - extension

When reactivating, click the "Repeat" button in the activation window, a standard key activation window will open. The window will display the current key (outdated). You must enter a new activation key instead of the outdated key and activate in the same way as the first time.

Reactivation is possible only after the previous activation key has completely expired.



1.4. Question - Answer

- **What is an activation key? How to get an activation key.**

A unique code used to activate the program. The user independently purchases the program activation key in the developer's online store. An email with the activation key is sent to the user's email address, which he specifies when purchasing. Note - sometimes emails can end up in the Spam folder, it is recommended to check all email folders after purchase.

- **What is the Hardware Code? I can't find the Hardware Code.**

The code containing the computer parameters and used for manual activation and deactivation of the application. The Equipment Code is issued automatically in the activation or deactivation window after entering the activation key and selecting the option - activate the application "Other" way.

- **I lost my Activation Key, what should I do?**

If you have lost the received activation key for the program, the first thing you need to do is find a printed version of the letter with the activation key (this is strongly recommended in each letter).

If you made a mistake and did not print the letter, you need to open your email and find the letter with the activation key, opening all folders, including the Spam folder.

If you made the second mistake and deleted the email, you can retrieve it again by sending an email with a request to the program developer.

- **How do I run a protected application if I want to change my computer configuration after activating the application?**

For this purpose, the Application Deactivation technology (license transfer technologies) has been developed. You will be able to deactivate a protected application, change the computer configuration, and then reactivate the application without contacting the developer's technical support.

2. Deactivating the program

If you are planning to change your computer hardware or reinstall the operating system, it is quite possible that after this the activated application will no longer run. To solve this problem, a technology for transferring licenses or Deactivation has been developed so that you can use the program again. In this case, you will not need to contact the developer of the program.


Deactivation of the application is necessary to save the activation key. Deactivation of the application must be done before changing the computer configuration, changing the operating system, transferring the license to another computer or another user.

2.1. Automatic deactivation


Deactivation of the key should be performed only under the account of the user who activated it. It is checked by launching the application - if the application was launched under this user without requiring activation, then the activation was performed by this user.

Starting the deactivation procedure:

Find the pcnsl.exe file in the program folder and run it.




In the window that appears, select the command «Activate or deactivate the product» and click the “Next” button.




After which the Application Activation/Deactivation window will appear. In this window, the key that was used to activate the application is automatically indicated by default. This is necessary to deactivate this key.

To deactivate the key, in the middle part of the window, you need to left-click on the blue text «deactivate».



After which a warning window will appear in which you must confirm the action by clicking the «Deactivate» button.




Pressing the button initiates the key deactivation procedure.

Upon completion of the deactivation procedure, the user is shown an information window with information about the remaining number of backup deactivations.

Complete deactivation is completed after clicking the «OK» button in this window. Now the application will only be available after reactivation, but the number of key activations will return to the original state, which will allow you to use this key during the next activation.

2.2. Manual deactivation


If the automatic deactivation attempt fails or your computer is not connected to the Internet, a window will appear asking you to deactivate manually. After clicking the «Deactivate» button in the deactivation confirmation window, the following window will appear. You can also access it by clicking the blue «other» text in the deactivation confirmation window.



Write down the activation website address

<https://proactive.star-force.com/2.0/activate.php>

And your Hardware Code, then find a computer with an Internet connection.



On a computer with Internet access, open a browser and open the previously recorded website.

<https://proactive.star-force.com/2.0/activate.php>

to activate. Select your preferred language on the left and «Deactivate product».

Enter your activation key in the «Serial number» field and the code received in the previous step in the «Hardware code» field, click «Deactivate».

The next page will show the remaining number of backup activations of the program.

3. If you forgot to deactivate activation key or your computer is broken

If the key was not deactivated when replacing Windows or when the computer broke down, you can use the program.

In this case, it is considered that the old computer was broken.

For this case, each activation key has backup activations.

On a new Windows or a new computer, you need to activate the program with your key in the same way as the first time.

But in this case, the activation key will use the backup activation.

Backup activation is intended to enable the use of the program in the event of physical damage to the computer or its complete replacement, in case the user was unable to deactivate it beforehand.

The number of backup activations is limited. It is strongly recommended not to forget to deactivate the key.

4. Activation key parameters

License for 1 year:

The user is given the opportunity to activate the LICENSE with an activation key - one activation is working, four are backup.

Backup activation is intended to enable the use of the program in the event of physical damage to the computer or its complete replacement, in case the user was unable to deactivate it beforehand. After using five possible activations, activation is possible only after deactivating the previously activated LICENSE or purchasing a new activation key.

The user is given the opportunity to activate the backup LICENSE and the activation key no earlier than one day after the activation of the working LICENSE. The user is given the opportunity to activate the LICENSE and the activation key for only one account.

The key activation must be done only on the account of the person who will use the program.

To USE the program on multiple accounts, the user purchases separate LICENSES.

5. Validity period of the activation key

Each activation key has a validity period of 1 year (365 days).

The countdown of the start time of use begins from the moment the key is activated.

10 days before the key expires, the program automatically displays a window warning about the remaining validity period of the key.

6. Checking the activation key parameters

Each activation key has many parameters.

To check the parameters, you need to open the activation server website at:

<https://proactive.star-force.com/2.0/activate.php>

A window will open in your internet browser window, in which on the left side you need to select the language and select the option «Product Activation»

After that, in the «Serial number» field, you need to enter (copy/paste) your activation key.

At the bottom of the serial number field, click on the blue inscription “Serial number parameters” and wait for the parameters to be received:

STAR FORCE[®] ProActive

English Go

End users

- Product activation
- Product deactivation
- Information

Publishers

- Log in

Product activation

Obtain an Activation Key to run and use the product on your computer. To obtain the key, you will need a Serial Number for the product and a Hardware Code generated automatically during deactivation of the product. If you have any questions, please contact the product technical support.

Serial Number:
Enter your Serial Number for the product.

QH-E6R6ZL-VRYY7H-BCSYNK-J4AZZT

[Serial Number parameters](#)


Hardware Code:
Enter a Hardware Code.

Deactivation Code:
To reactivate the product on your computer, enable this field and enter a Deactivation Code obtained during deactivation of the product.

Get Activation Key

A window will open in your internet browser window, which will contain all the parameters of your activation key:

ProActive



Serial Number parameters

Serial Number: QH-E6R6ZL-VRYY7H-BCSYNK-J4AZZT

Product: PrintPrice

Company name: Dmitry Kirillov

Activated (computer binding): Yes

Number of activations has been exceeded: No

Blacklisted: No

Expired: No

Type: Release

Number of activations spent/total: 1 / 5

Add activation automatically: Disabled

Time parameters

Serial Number parameter	Value
Serial Number lifetime:	365 day(s)
First activation date:	Unlimited
Serial Number expiration date:	Unlimited
Time between activations:	1 day(s)
Activation key lifetime:	365 day(s)
Total operation time of the application:	Unlimited
Periodic license confirmation:	Unlimited

Advanced parameters

Serial Number parameter	Value	
Level of binding to computer:	Medium	
Custom rights	Right1:	Disabled
	Right2:	Disabled
	Right3:	Disabled
	Right4:	Disabled
	Right5:	Disabled

7. Checking validity period of activation key

To check the key validity period, you need to get all the parameters of the activation key on the activation server. How to get the parameters is described in the previous paragraph of the instructions.

At the bottom of the key parameters window there is a table «Serial number activations»

This table records all activations and deactivations of your key.

If there are deactivations, there will be designations in the table in the form of «+», you need to click on the «+» sign to expand the line.

As a result, the table displays all key activation dates.

It is necessary to find the date of the very first activation of the key in this list of dates, this will be the date of the countdown. By adding 1 year (365 days) to this date, you will get the expiration date of your activation key:

Activations of the Serial Number

	License state	Activation date	
[-]	Activated	13.10.2024 7:24:37	
	Deactivated	13.10.2024 6:52:12	
	Activated	21.09.2024 12:56:57	←
[-]	Deactivated	09.01.2025 3:48:44	
	Activated	24.09.2024 4:18:48	

Quantity of spent activations of the Serial Number: 1

8. Technical support

Technical support for the program is provided by e-mail by the developer of the program, Kirillov Dmitrii Maratovich. You can send your questions to the address:

support@kdmssoft.ru

support@kdmssoft.net

kdm-info@yandex.ru

In your letter, please indicate your question and attach explanatory screenshots.

1. Technical support provides user consultations via e-mail.
2. If necessary, remote access programs to the user's desktop can be used for consultation.
3. Consultations with the user in technical support do not include clarification of the user's questions related to the use of third-party software.

9. Developer contacts

Kirillov Dmitrii Maratovich – developer

Official website www.kdmssoft.ru, www.kdmssoft.net

© Kirillov Dmitrii Maratovich, All rights reserved.

www.kdmssoft.ru

www.kdmssoft.net

e-mail: support@kdmssoft.ru

e-mail: support@kdmssoft.net

e-mail: kdm-info@yandex.ru

When creating this instruction, materials from the following sites were used:

<https://www.star-force.ru/support/users/group2.php>

<http://proactive.star-force.com/2.0/activate.php>